



# CorePro LED candles and lusters

## Corepro Lustre ND 4-25W E14 827 P45 CL

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

### Product data

General Information		LLMF At End Of Nominal Lifetime (Nom)	
Cap-Base	E14 [ E14]		70 %
Nominal Lifetime (Nom)	15000 h	Operating and Electrical	
Switching Cycle	50000X	Input Frequency	50 to 60 Hz
Technical Type	4-25W	Power (Rated) (Nom)	4 W
Light Technical		Lamp Current (Nom)	35 mA
Color Code	827 [ CCT of 2700K]	Wattage Equivalent	25 W
Luminous Flux (Nom)	250 lm	Starting Time (Nom)	0.5 s
Luminous Flux (Rated) (Nom)	250 lm	Warm Up Time To 60% Light (Nom)	0.5 s
Color Designation	Warm White (WW)	Power Factor (Nom)	0.4
Correlated Color Temperature (Nom)	2700 K	Voltage (Nom)	220-240 V
Luminous Efficacy (rated) (Nom)	62.50 lm/W	Temperature	
Color Consistency	<6	T-Case Maximum (Nom)	75 °C
Color Rendering Index (Nom)	80		

# CorePro LED candles and lusters

## Controls and Dimming

Dimmable No

## Mechanical and Housing

Bulb Finish Clear

## Approval and Application

Energy Efficiency Label (EEL) A+

Energy Consumption kWh/1000 h 4 kWh

## Product Data

Full product code 871869650759900

Order product name Corepro Lustre ND 4-25W E14 827 P45 CL

EAN/UPC - Product 8718696507599

Order code 929001142302


Numerator - Quantity Per Pack 1

Numerator - Packs per outer box 10

Material Nr. (12NC) 929001142302

Net Weight (Piece) 0.040 kg


## Dimensional drawing




LED ND 4-25W E14 827 220-240V P45 CL

Product	D	C
Corepro Lustre ND 4-25W E14 827 P45 CL	45 mm	88 mm

## Photometric data




CalcLux Photometrics 4.1 Philips Lighting B.V. Page 1/17



CorePro LEDlustre 4-25W E14 827 CL P45


# CorePro LED candles and lusters

## Photometric data




CorePro ND /827

## Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

