



CorePro LED candles and lusters

CorePro LEDcandle ND 7-60W E14 827 B38 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		LLMF At End Of Nominal Lifetime (Nom)	
Cap-Base	E14 [E14]	70 %	
Nominal Lifetime (Nom)	15000 h	Operating and Electrical	
Switching Cycle	50000X	Input Frequency	50 to 60 Hz
Technical Type	7-60W	Power (Rated) (Nom)	7 W
		Lamp Current (Nom)	65 mA
		Wattage Equivalent	60 W
		Starting Time (Nom)	0.5 s
		Warm Up Time To 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	90 °C
Luminous Flux (Nom)	806 lm		
Luminous Flux (Rated) (Nom)	806 lm		
Color Designation	Warm White (WW)		
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	115.14 lm/W		
Color Consistency	<6		
Color Rendering Index (Nom)	80		

CorePro LED candles and lusters

Controls and Dimming

Dimmable No

Mechanical and Housing

Bulb Finish Frosted

Approval and Application

Energy Efficiency Label (EEL) A++


Energy Consumption kWh/1000 h 7 kWh

Product Data

Full product code 871869670299400

Order product name	CorePro LEDcandle ND 7-60W E14 827 B38 FR
EAN/UPC - Product	8718696702994
Order code	929001325102
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001325102
Net Weight (Piece)	0.063 kg



Dimensional drawing



Candle 230V 8-60W 806lm 2700K E14 ND FR

Product	D	C
CorePro LEDcandle ND 7-60W E14 827 B38 FR	38 mm	114 mm


Photometric data



LEDbulb 60W E14 827 FR B38


CorePro LED candles and lusters

Photometric data




LEDbulb 60W E14 827 FR B38

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

