



CorePro LEDbulbs

CorePro LEDbulb ND 20-150W E27 865 A80

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost. The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		Lamp Current (Nom)	
Cap-Base	E27 [E27]		190 mA
Nominal Lifetime (Nom)	15000 h	Wattage Equivalent	150 W
Switching Cycle	50000X	Starting Time (Nom)	0.5 s
Technical Type	20-150W	Warm Up Time To 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	865 [CCT of 6500K]		
Beam Angle (Nom)	150 °	T-Case Maximum (Nom)	85 °C
Luminous Flux (Nom)	2500 lm		
Luminous Flux (Rated) (Nom)	2500 lm	Controls and Dimming	
Color Designation	Cool Daylight	Dimmable	No
Correlated Color Temperature (Nom)	6500 K		
Luminous Efficacy (rated) (Nom)	125.00 lm/W	Mechanical and Housing	
Color Consistency	<6	Bulb Finish	Frosted
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %	Approval and Application	
		Energy Efficiency Label (EEL)	A+
		Energy Consumption kWh/1000 h	20 kWh
Operating and Electrical			
Input Frequency	50 to 60 Hz		
Power (Rated) (Nom)	20 W		


CorePro LEDbulbs

Product Data

Full product code	871869677039900
Order product name	CorePro LEDbulb ND 20-150W E27 865 A80
EAN/UPC - Product	8718696770399
Order code	929001817502
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001817502
Net Weight (Piece)	0.144 kg



Dimensional drawing




Bulb A80 2500lm 6500K E27 ND N/A

Product	D	C
CorePro LEDbulb ND 20-150W E27 865 A80	80 mm	155 mm

Photometric data



LEDbulb 150W E27 865 FR A80



LEDbulb 150W E27 827 FR A80

CorePro LEDbulbs

Lifetime



LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38

