



CorePro LEDspot MV

CorePro LEDspotMV ND 3.8-28W 827 Refl50

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data


General Information	
Cap-Base	E14 [E14]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	3.8-28W
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	330 lm
Luminous Flux (Rated) (Nom)	330 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	86.84 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	3.8 W
Lamp Current (Nom)	31 mA
Wattage Equivalent	28 W

Starting Time (Nom)	0.5 s
Warm Up Time To 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	45 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	4 kWh
Product Data	
Full product code	871869676818100
Order product name	CorePro LEDspotMV ND 3.8-28W 827 Refl50
EAN/UPC - Product	8718696768181
Order code	929001316102
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

CorePro LEDspot MV

Material Nr. (12NC)	929001316102
Net Weight (Piece)	0.018 kg


Dimensional drawing




R50 220-240V 4W 180lm 2700K E14 ND CL

Product	D	C
CorePro LEDspotMV ND 3.8-28W 827 RefI50	50 mm	85 mm


Photometric data



General Luminaire Lighting



CorePro LEDspotMV 28W E14 827 R50



CorePro LEDspotMV 28W E14 827 R50

CorePro LEDspot MV

Lifetime



LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38

