



CorePro LEDspot MV

CorePro LEDspotMV ND 3.2-28W 827 Refl63

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.


Product data

General Information		Starting Time (Nom)	
Cap-Base	E27 [E27]	Starting Time (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time To 60% Light (Nom)	0.5 s
Switching Cycle	20000X	Power Factor (Nom)	0.4
Technical Type	3.2-28W	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	45 °C
Luminous Flux (Nom)	330 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	330 lm	Dimmable	No
Color Designation	Warm White (WW)	Approval and Application	
Correlated Color Temperature (Nom)	2700 K	Energy Efficiency Label (EEL)	A++
Luminous Efficacy (rated) (Nom)	103.13 lm/W	Energy Consumption kWh/1000 h	4 kWh
Color Consistency	<6	Product Data	
Color Rendering Index (Nom)	80	Full product code	871869676838900
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name	CorePro LEDspotMV ND 3.2-28W 827 Refl63
Operating and Electrical		EAN/UPC - Product	8718696768389
Input Frequency	50 to 60 Hz	Order code	929001316202
Power (Rated) (Nom)	3.2 W	Numerator - Quantity Per Pack	1
Lamp Current (Nom)	28 mA	Numerator - Packs per outer box	6
Wattage Equivalent	28 W		

CorePro LEDspot MV

Material Nr. (12NC)	929001316202
Net Weight (Piece)	0.026 kg


Dimensional drawing




R63 220-240V 4W 180lm 2700K E27 ND CL

Product	D	C
CorePro LEDspotMV ND 3.2-28W 827 Refl63	63 mm	102 mm


Photometric data



General Luminaire Lighting



CorePro LEDspotMV 28W E27 827 R63



CorePro LEDspotMV 28W E27 827 R63

CorePro LEDspot MV

Lifetime



LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38

