



CorePro LEDspot MV

CorePro LEDspotMV ND 4-42W 827 Refl63 CM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.


Product data

General Information		Starting Time (Nom)	
Cap-Base	E27 [E27]		0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time To 60% Light (Nom)	0.5 s
Switching Cycle	20000X	Power Factor (Nom)	0.4
Technical Type	4-42W	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	40 °C
Luminous Flux (Nom)	505 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	505 lm	Dimmable	No
Color Designation	Warm White (WW)	Approval and Application	
Correlated Color Temperature (Nom)	2700 K	Energy Efficiency Label (EEL)	A++
Luminous Efficacy (rated) (Nom)	126.25 lm/W	Energy Consumption kWh/1000 h	4 kWh
Color Consistency	<6	Product Data	
Color Rendering Index (Nom)	80	Full product code	871869676844000
LLMF At End Of Nominal Lifetime (Nom)	70 %	Order product name	CorePro LEDspotMV ND 4-42W 827 Refl63 CM
Operating and Electrical		EAN/UPC - Product	8718696768440
Input Frequency	50 to 60 Hz	Order code	929001350602
Power (Rated) (Nom)	4 W	Numerator - Quantity Per Pack	1
Lamp Current (Nom)	32 mA	Numerator - Packs per outer box	6
Wattage Equivalent	42 W		

CorePro LEDspot MV

Material Nr. (12NC)	929001350602
Net Weight (Piece)	0.026 kg


Dimensional drawing




R63 220-240V 5.5-40W 400lm 2700K E27 Dim

Product	D	C
CorePro LEDspotMV ND 4-42W 827 Refl63 CM	63 mm	102 mm


Photometric data



General Luminaire Lightings





CorePro LEDspotMV 4-42W E27 827 R63



CorePro LEDspotMV 4-42W E27 827 R63

CorePro LEDspot MV

Lifetime



LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38

